

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT Gr/piece					
		100 mm		150 mm		200 mm	
		B40	B60	B40	B60	B40	B60
40	15	375	478	562	716	750	955
40	20	332	423	499	635	665	847
40	25	278	354	417	531	555	708
45	20	446	569	670	853	893	1,138
45	25	392	499	588	749	784	998
45	30	325	414	488	621	650	828
50	20	574	731	861	1,097	1,148	1,463
50	25	519	662	779	993	1,039	1,323
50	30	453	577	679	865	905	1,153
50	35	374	476	560	714	747	952
55	20	715	911	1,072	1,366	1,430	1,822
55	25	660	841	990	1,262	1,321	1,683
55	30	593	756	890	1,134	1,187	1,512
55	35	515	656	772	983	1,029	1,311
55	40	423	540	635	809	847	1,079
60	20	869	1,108	1,304	1,661	1,739	2,215
60	25	815	1,038	1,222	1,557	1,629	2,076
60	30	748	953	1,122	1,429	1,496	1,906
60	35	669	852	1,003	1,278	1,338	1,705
60	40	578	736	867	1,104	1,156	1,472
60	45	475	605	712	907	949	1,209
65	20	1,037	1,321	1,556	1,982	2,074	2,643
65	25	982	1,252	1,474	1,878	1,965	2,504
65	30	916	1,167	1,373	1,750	1,831	2,333
65	35	837	1,066	1,255	1,599	1,673	2,132
65	40	746	950	1,118	1,425	1,491	1,900
65	45	642	818	964	1,228	1,285	1,637
65	50	527	671	790	1,007	1,054	1,343
70	25	1,164	1,483	1,745	2,224	2,327	2,965
70	30	1,097	1,398	1,645	2,096	2,194	2,795
70	35	1,018	1,297	1,527	1,945	2,036	2,594
70	40	927	1,181	1,390	1,771	1,854	2,362
70	45	824	1,049	1,235	1,574	1,647	2,099
70	50	708	902	1,062	1,354	1,416	1,805
70	55	581	740	871	1,110	1,161	1,480
75	30	1,291	1,646	1,937	2,468	2,583	3,291
75	35	1,212	1,545	1,819	2,317	2,425	3,090
75	40	1,121	1,429	1,682	2,143	2,243	2,858
75	45	1,018	1,297	1,527	1,946	2,036	2,595
75	50	903	1,150	1,354	1,726	1,806	2,301
75	55	775	988	1,163	1,482	1,551	1,976
75	60	636	810	953	1,215	1,271	1,620
80	30	1,499	1,911	2,249	2,866	2,999	3,821
80	35	1,421	1,810	2,131	2,715	2,841	3,620
80	40	1,329	1,694	1,994	2,541	2,659	3,388
80	45	1,226	1,562	1,839	2,344	2,452	3,125
80	50	1,111	1,415	1,666	2,123	2,222	2,831
80	55	983	1,253	1,475	1,879	1,967	2,506
80	60	844	1,075	1,265	1,612	1,687	2,150
80	65	692	882	1,038	1,322	1,384	1,763
85	30	1,721	2,193	2,581	3,289	3,442	4,386
85	35	1,642	2,092	2,463	3,138	3,284	4,185
85	40	1,551	1,976	2,326	2,964	3,102	3,952
85	45	1,448	1,845	2,172	2,767	2,895	3,689
85	50	1,332	1,698	1,998	2,546	2,665	3,395
85	55	1,205	1,535	1,807	2,303	2,410	3,070
85	60	1,065	1,357	1,598	2,036	2,130	2,714
85	65	913	1,164	1,370	1,746	1,827	2,327
85	70	749	955	1,124	1,432	1,499	1,910

TOLERANCES	
	Tolerance
Outside Dia.	+%4, -0
Inside Dia.	+0, -%3
Length	+%5, -0

Dimensions not listed can be produced upon request.

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT Gr/piece					
		100 mm		150 mm		200 mm	
		B40	B60	B40	B60	B40	B60
90	35	1,877	2,392	2,815	3,587	3,754	4,783
90	40	1,786	2,275	2,679	3,413	3,572	4,551
90	45	1,683	2,144	2,524	3,216	3,365	4,288
90	50	1,567	1,997	2,351	2,995	3,134	3,994
90	55	1,440	1,834	2,160	2,752	2,879	3,669
90	60	1,300	1,656	1,950	2,485	2,600	3,313
90	65	1,148	1,463	1,722	2,195	2,296	2,926
90	70	984	1,254	1,476	1,881	1,969	2,508
90	75	808	1,030	1,212	1,545	1,616	2,059
95	40	2,034	2,592	3,051	3,888	4,068	5,184
95	45	1,931	2,460	2,896	3,691	3,862	4,921
95	50	1,816	2,313	2,723	3,470	3,631	4,627
95	55	1,688	2,151	2,532	3,226	3,376	4,302
95	60	1,548	1,973	2,323	2,959	3,097	3,946
95	65	1,397	1,779	2,095	2,669	2,793	3,559
95	70	1,233	1,571	1,849	2,356	2,465	3,141
95	75	1,056	1,346	1,585	2,019	2,113	2,692
95	80	868	1,106	1,302	1,659	1,736	2,213
100	40	2,296	2,925	3,444	4,388	4,592	5,851
100	45	2,193	2,794	3,289	4,191	4,385	5,588
100	50	2,077	2,647	3,116	3,970	4,155	5,294
100	55	1,950	2,484	2,925	3,727	3,900	4,969
100	60	1,810	2,306	2,715	3,460	3,620	4,613
100	65	1,658	2,113	2,487	3,169	3,317	4,226
100	70	1,494	1,904	2,241	2,856	2,989	3,808
100	75	1,318	1,680	1,977	2,519	2,636	3,359
100	80	1,130	1,440	1,695	2,160	2,260	2,880
100	85	930	1,184	1,394	1,777	1,859	2,369
110	40	2,860	3,644	4,289	5,466	5,719	7,287
110	45	2,756	3,512	4,135	5,268	5,513	7,024
110	50	2,641	3,365	3,962	5,048	5,282	6,730
110	55	2,514	3,203	3,770	4,804	5,027	6,405
110	60	2,374	3,025	3,561	4,537	4,748	6,049
110	65	2,222	2,831	3,333	4,247	4,444	5,663
110	70	2,058	2,622	3,087	3,934	4,116	5,245
110	75	1,882	2,398	2,823	3,597	3,764	4,796
110	80	1,694	2,158	2,541	3,237	3,387	4,316
110	85	1,493	1,903	2,240	2,854	2,987	3,806
110	90	1,281	1,632	1,921	2,448	2,562	3,264
120	40	3,477	4,430	5,216	6,646	6,954	8,861
120	45	3,374	4,299	5,061	6,448	6,748	8,598
120	50	3,258	4,152	4,888	6,228	6,517	8,304
120	55	3,131	3,989	4,696	5,984	6,262	7,979
120	60	2,991	3,811	4,487	5,717	5,983	7,623
120	65	2,839	3,618	4,259	5,427	5,679	7,236
120	70	2,676	3,409	4,013	5,114	5,351	6,818
120	75	2,499	3,185	3,749	4,777	4,999	6,369
120	80	2,311	2,945	3,467	4,417	4,622	5,890
120	85	2,111	2,690	3,166	4,034	4,222	5,379
120	90	1,898	2,419	2,847	3,628	3,796	4,837
120	95	1,674	2,132	2,510	3,199	3,347	4,265
120	100	1,437	1,831	2,155	2,746	2,873	3,661
125	30	3,976	5,066	5,964	7,599	7,952	10,132
125	35	3,897	4,966	5,846	7,448	7,794	9,931
125	40	3,806	4,850	5,709	7,274	7,612	9,699
125	45	3,703	4,718	5,554	7,077	7,405	9,436
125	50	3,587	4,571	5,381	6,856	7,175	9,142
125	55	3,460	4,408	5,190	6,613	6,920	8,817
125	60	3,320	4,230	4,980	6,346	6,640	8,461
125	65	3,168	4,037	4,752	6,056	6,337	8,074

TOLERANCES	
	Tolerance
Outside Dia.	+%4, -0
Inside Dia.	+0, -%3
Length	+%5, -0

Dimensions not listed can be produced upon request.

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT Gr/piece					
		100 mm		150 mm		200 mm	
		B40	B60	B40	B60	B40	B60
125	70	3,004	3,828	4,507	5,742	6,009	7,656
125	75	2,828	3,604	4,242	5,406	5,657	7,207
125	80	2,640	3,364	3,960	5,046	5,280	6,728
125	85	2,440	3,109	3,659	4,663	4,879	6,217
125	90	2,227	2,838	3,341	4,257	4,454	5,675
125	95	2,002	2,551	3,004	3,827	4,005	5,103
125	100	1,766	2,250	2,648	3,375	3,531	4,499
125	105	1,517	1,932	2,275	2,899	3,033	3,865
130	30	4,318	5,502	6,477	8,253	8,636	11,005
130	35	4,239	5,402	6,359	8,103	8,479	10,803
130	40	4,148	5,286	6,222	7,928	8,296	10,571
130	45	4,045	5,154	6,067	7,731	8,090	10,308
130	50	3,930	5,007	5,894	7,511	7,859	10,014
130	55	3,802	4,845	5,703	7,267	7,604	9,689
130	60	3,662	4,667	5,494	7,000	7,325	9,333
130	65	3,511	4,473	5,266	6,710	7,021	8,946
130	70	3,347	4,264	5,020	6,396	6,693	8,529
130	75	3,171	4,040	4,756	6,060	6,341	8,080
130	80	2,982	3,800	4,473	5,700	5,965	7,600
130	85	2,782	3,545	4,173	5,317	5,564	7,089
130	90	2,569	3,274	3,854	4,911	5,139	6,548
130	95	2,345	2,988	3,517	4,481	4,689	5,975
130	100	2,108	2,686	3,162	4,029	4,216	5,372
130	105	1,859	2,369	2,788	3,553	3,718	4,737
130	110	1,598	2,036	2,397	3,054	3,196	4,072
135	50	4,285	5,460	6,428	8,190	8,571	10,921
135	55	4,158	5,298	6,237	7,947	8,316	10,596
135	60	4,018	5,120	6,027	7,680	8,036	10,240
135	65	3,866	4,926	5,799	7,390	7,733	9,853
135	70	3,702	4,717	5,554	7,076	7,405	9,435
135	75	3,526	4,493	5,289	6,740	7,052	8,986
135	80	3,338	4,253	5,007	6,380	6,676	8,506
135	85	3,138	3,998	4,706	5,997	6,275	7,996
135	90	2,925	3,727	4,388	5,591	5,850	7,454
135	100	2,464	3,139	3,695	4,709	4,927	6,278
135	110	1,953	2,489	2,930	3,734	3,907	4,978
140	30	5,043	6,426	7,565	9,639	10,086	12,852
140	35	4,964	6,325	7,446	9,488	9,928	12,651
140	40	4,873	6,209	7,310	9,314	9,746	12,418
140	45	4,770	6,078	7,155	9,116	9,540	12,155
140	50	4,654	5,931	6,982	8,896	9,309	11,861
140	55	4,527	5,768	6,790	8,652	9,054	11,536
140	60	4,387	5,590	6,581	8,385	8,774	11,180
140	65	4,235	5,397	6,353	8,095	8,471	10,793
140	70	4,071	5,188	6,107	7,782	8,143	10,376
140	75	3,895	4,963	5,843	7,445	7,791	9,927
140	80	3,707	4,724	5,561	7,085	7,414	9,447
140	85	3,507	4,468	5,260	6,702	7,013	8,936
140	90	3,294	4,197	4,941	6,296	6,588	8,395
140	100	2,833	3,609	4,249	5,414	5,665	7,219
140	105	2,584	3,292	3,876	4,938	5,167	6,584
140	110	2,323	2,959	3,484	4,439	4,645	5,919
140	120	1,764	2,248	2,646	3,371	3,528	4,495
150	50	5,433	6,923	8,149	10,384	10,866	13,845
150	55	5,305	6,760	7,958	10,140	10,611	13,520
150	60	5,166	6,582	7,749	9,873	10,331	13,164
150	65	5,014	6,389	7,521	9,583	10,028	12,777
150	70	4,850	6,180	7,275	9,270	9,700	12,360
150	75	4,674	5,955	7,011	8,933	9,348	11,911
150	80	4,486	5,716	6,728	8,573	8,971	11,431

TOLERANCES	
	Tolerance
Outside Dia.	+%4, -0
Inside Dia.	+0, -%3
Length	+%5, -0

Dimensions not listed can be produced upon request.

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT Gr/piece					
		100 mm		150 mm		200 mm	
		B40	B60	B40	B60	B40	B60
150	85	4,285	5,460	6,428	8,190	8,570	10,920
150	90	4,073	5,189	6,109	7,784	8,145	10,379
150	100	3,611	4,601	5,417	6,902	7,222	9,203
150	110	3,101	3,951	4,652	5,927	6,202	7,903
150	120	2,542	3,240	3,814	4,859	5,085	6,479
150	125	2,245	2,860	3,367	4,291	4,490	5,721
150	130	1,935	2,466	2,903	3,699	3,870	4,932
160	50	6,265	7,983	9,398	11,975	12,530	15,966
160	55	6,138	7,821	9,206	11,731	12,275	15,641
160	60	5,998	7,643	8,997	11,464	11,996	15,285
160	65	5,846	7,449	8,769	11,174	11,692	14,898
160	70	5,682	7,240	8,523	10,860	11,364	14,480
160	75	5,506	7,016	8,259	10,524	11,012	14,032
160	80	5,318	6,776	7,977	10,164	10,636	13,552
160	90	4,905	6,250	7,357	9,375	9,810	12,500
160	100	4,443	5,662	6,665	8,493	8,887	11,323
160	110	3,933	5,012	5,900	7,518	7,867	10,024
160	120	3,375	4,300	5,062	6,450	6,749	8,600
160	130	2,767	3,526	4,151	5,289	5,535	7,052
160	140	2,112	2,691	3,167	4,036	4,223	5,381
170	50	7,151	9,112	10,727	13,668	14,302	18,224
170	55	7,024	8,949	10,535	13,424	14,047	17,899
170	60	6,884	8,771	10,326	13,157	13,768	17,543
170	65	6,732	8,578	10,098	12,867	13,464	17,156
170	70	6,568	8,369	9,852	12,554	13,136	16,738
170	75	6,392	8,145	9,588	12,217	12,784	16,289
170	80	6,204	7,905	9,306	11,857	12,407	15,809
170	85	6,003	7,649	9,005	11,474	12,007	15,299
170	90	5,791	7,379	8,686	11,068	11,582	14,757
170	100	5,329	6,791	7,994	10,186	10,659	13,581
170	110	4,819	6,141	7,229	9,211	9,638	12,281
170	120	4,261	5,429	6,391	8,143	8,521	10,857
170	125	3,963	5,050	5,944	7,574	7,926	10,099
170	130	3,653	4,655	5,480	6,982	7,307	9,310
170	140	2,997	3,819	4,496	5,729	5,995	7,639
170	150	2,293	2,922	3,440	4,383	4,586	5,843
175	50	7,614	9,702	11,421	14,553	15,228	19,404
175	55	7,487	9,539	11,230	14,309	14,973	19,079
175	60	7,347	9,361	11,020	14,042	14,694	18,723
175	65	7,195	9,168	10,793	13,752	14,390	18,336
175	70	7,031	8,959	10,547	13,439	14,062	17,918
175	75	6,855	8,735	10,283	13,102	13,710	17,469
175	80	6,667	8,495	10,000	12,742	13,334	16,990
175	85	6,466	8,239	9,700	12,359	12,933	16,479
175	90	6,254	7,969	9,381	11,953	12,508	15,937
175	95	6,029	7,682	9,044	11,524	12,058	15,365
175	100	5,792	7,381	8,689	11,071	11,585	14,761
175	110	5,282	6,731	7,923	10,096	10,565	13,461
175	125	4,426	5,640	6,639	8,459	8,852	11,279
175	135	3,794	4,835	5,692	7,252	7,589	9,670
175	140	3,461	4,409	5,191	6,614	6,921	8,819
175	150	2,756	3,512	4,134	5,268	5,512	7,024
180	50	8,091	10,309	12,136	15,464	16,181	20,618
180	55	7,963	10,147	11,945	15,220	15,926	20,293
180	60	7,823	9,969	11,735	14,953	15,647	19,937
180	65	7,672	9,775	11,507	14,663	15,343	19,550
180	70	7,508	9,566	11,261	14,349	15,015	19,132
180	75	7,332	9,342	10,997	14,013	14,663	18,684
180	80	7,143	9,102	10,715	13,653	14,287	18,204
180	85	6,943	8,847	10,414	13,270	13,886	17,693

TOLERANCES	
	Tolerance
Outside Dia.	+%4, -0
Inside Dia.	+0, -%3
Length	+%5, -0

Dimensions not listed can be produced upon request.

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT Gr/piece					
		100 mm		150 mm		200 mm	
		B40	B60	B40	B60	B40	B60
180	90	6,730	8,576	10,096	12,864	13,461	17,152
180	100	6,269	7,988	9,403	11,982	12,538	15,975
180	110	5,759	7,338	8,638	11,007	11,518	14,676
180	120	5,200	6,626	7,800	9,939	10,400	13,252
180	125	4,903	6,247	7,354	9,370	9,805	12,494
180	135	4,271	5,442	6,407	8,163	8,542	10,884
180	150	3,233	4,119	4,849	6,178	6,465	8,238
180	160	2,480	3,159	3,719	4,739	4,959	6,319
190	50	9,084	11,575	13,626	17,362	18,168	23,149
190	60	8,817	11,234	13,225	16,851	17,633	22,468
190	75	8,325	10,607	12,487	15,911	16,650	21,215
190	90	7,724	9,841	11,585	14,762	15,447	19,683
190	100	7,262	9,253	10,893	13,880	14,524	18,507
190	110	6,752	8,603	10,128	12,905	13,504	17,207
190	125	5,896	7,512	8,844	11,269	11,792	15,025
190	135	5,264	6,708	7,896	10,062	10,529	13,415
190	150	4,226	5,385	6,339	8,077	8,452	10,769
190	160	3,473	4,425	5,209	6,638	6,946	8,850
190	170	2,671	3,404	4,007	5,106	5,343	6,808
200	50	10,131	12,909	15,196	19,363	20,262	25,817
200	75	9,372	11,941	14,058	17,912	18,744	23,883
200	100	8,309	10,587	12,464	15,881	16,618	21,175
200	110	7,799	9,937	11,699	14,906	15,598	19,875
200	125	6,943	8,846	10,414	13,270	13,886	17,693
200	140	5,977	7,616	8,966	11,424	11,955	15,232
200	150	5,273	6,719	7,909	10,078	10,546	13,437
200	160	4,520	5,759	6,780	8,639	9,040	11,518
200	175	3,299	4,204	4,949	6,306	6,599	8,408
225	50	12,983	16,543	19,475	24,815	25,966	33,086
225	75	12,224	15,576	18,336	23,364	24,448	31,152
225	90	11,623	14,810	17,434	22,215	23,246	29,620
225	100	11,161	14,222	16,742	21,333	22,323	28,444
225	125	9,795	12,481	14,693	18,721	19,590	24,962
225	150	8,125	10,353	12,188	15,530	16,250	20,706
225	160	7,372	9,394	11,058	14,090	14,744	18,787
225	175	6,152	7,838	9,227	11,757	12,303	15,677
225	190	4,822	6,144	7,233	9,216	9,643	12,288
225	200	3,874	4,937	5,812	7,405	7,749	9,873
250	50	16,171	20,605	24,257	30,908	32,342	41,210
250	75	15,412	19,638	23,118	29,457	30,824	39,276
250	100	14,349	18,284	21,524	27,426	28,699	36,568
250	125	12,983	16,543	19,474	24,814	25,966	33,086
250	150	11,313	14,415	16,970	21,622	22,626	28,830
250	160	10,560	13,456	15,840	20,183	21,120	26,911
250	175	9,339	11,900	14,009	17,850	18,679	23,801
250	190	8,010	10,206	12,014	15,309	16,019	20,412
250	200	7,062	8,999	10,593	13,498	14,125	17,997
250	220	5,022	6,399	7,533	9,598	10,044	12,798
250	225	4,481	5,710	6,722	8,565	8,963	11,420
255	180	9,586	12,215	14,379	18,322	19,172	24,429
275	75	18,935	24,127	28,403	36,191	37,871	48,255
275	100	17,873	22,773	26,809	34,160	35,746	45,547
275	125	16,506	21,032	24,760	31,549	33,013	42,065
275	150	14,836	18,905	22,255	28,357	29,673	37,809
275	160	14,083	17,945	21,125	26,918	28,167	35,890
275	175	12,863	16,390	19,294	24,585	25,726	32,780
275	190	11,533	14,695	17,300	22,043	23,066	29,391
275	200	10,586	13,488	15,879	20,232	21,171	26,976
275	220	8,545	10,888	12,818	16,333	17,091	21,777
275	225	8,005	10,200	12,007	15,300	16,010	20,400
275	250	5,120	6,524	7,681	9,787	10,241	13,049

TOLERANCES	
	Tolerance
Outside Dia.	+%4, -0
Inside Dia.	+0, -%3
Length	+%5, -0

Dimensions not listed can be produced upon request.

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT Gr/piece					
		100 mm		150 mm		200 mm	
		B40	B60	B40	B60	B40	B60
300	50	23,554	30,012	35,330	45,018	47,107	60,023
300	75	22,794	29,045	34,192	43,567	45,589	58,089
300	100	21,732	27,690	32,598	41,536	43,464	55,381
300	125	20,365	25,950	30,548	38,924	40,731	51,899
300	150	18,695	23,822	28,043	35,733	37,391	47,643
300	160	17,943	22,862	26,914	34,293	35,885	45,724
300	175	16,722	21,307	25,083	31,960	33,444	42,614
300	190	15,392	19,612	23,088	29,419	30,784	39,225
300	200	14,445	18,405	21,667	27,608	28,889	36,811
300	225	11,864	15,117	17,796	22,675	23,728	30,234
300	250	8,979	11,442	13,469	17,162	17,959	22,883
300	270	6,453	8,223	9,680	12,334	12,907	16,445
325	100	25,926	33,035	38,890	49,553	51,853	66,070
325	125	24,560	31,294	36,840	46,941	49,120	62,588
325	150	22,890	29,166	34,335	43,750	45,780	58,333
325	175	20,917	26,652	31,375	39,978	41,833	53,303
325	200	18,639	23,750	27,959	35,625	37,279	47,500
325	225	16,058	20,462	24,088	30,692	32,117	40,923
325	250	13,174	16,786	19,761	25,179	26,348	33,573
325	270	10,648	13,567	15,972	20,351	21,296	27,135
325	300	6,494	8,275	9,741	12,412	12,988	16,550
350	100	30,456	38,807	45,685	58,211	60,913	77,615
350	150	27,420	34,939	41,130	52,408	54,840	69,877
350	175	25,447	32,424	38,170	48,636	50,893	64,848
350	190	24,117	30,729	36,175	46,094	48,234	61,459
350	200	23,169	29,522	34,754	44,284	46,339	59,045
350	225	20,589	26,234	30,883	39,351	41,177	52,468
350	250	17,704	22,559	26,556	33,838	35,408	45,117
350	270	15,178	19,340	22,767	29,010	30,356	38,679
350	300	11,024	14,047	16,537	21,071	22,049	28,094
350	325	7,229	9,211	10,844	13,817	14,458	18,422
355	275	15,462	19,702	23,194	29,553	30,925	39,404
375	100	35,322	45,007	52,983	67,511	70,644	90,015
375	125	33,956	43,266	50,934	64,900	67,912	86,533
375	150	32,286	41,139	48,429	61,708	64,572	82,277
375	175	30,312	38,624	45,469	57,936	60,625	77,248
375	200	28,035	35,722	42,053	53,583	56,070	71,444
375	225	25,454	32,434	38,182	48,651	50,909	64,867
375	250	22,570	28,758	33,855	43,138	45,140	57,517
375	270	20,044	25,540	30,066	38,309	40,087	51,079
375	300	15,890	20,247	23,835	30,371	31,780	40,494
375	325	12,095	15,411	18,142	23,117	24,190	30,822
400	100	40,523	51,635	60,785	77,452	81,047	103,270
400	150	37,487	47,766	56,231	71,649	74,974	95,532
400	200	33,236	42,350	49,855	63,524	66,473	84,699
400	250	27,771	35,386	41,657	53,079	55,542	70,772
400	270	25,245	32,167	37,867	48,250	50,490	64,334
400	300	21,091	26,874	31,637	40,312	42,183	53,749
400	325	17,296	22,039	25,944	33,058	34,592	44,077
400	370	9,699	12,359	14,549	18,538	19,399	24,718
425	100	46,060	58,690	69,090	88,035	92,121	117,380
425	150	43,024	54,821	64,536	82,231	86,048	109,642
425	175	41,050	52,306	61,576	78,459	82,101	104,613
425	200	38,773	49,405	58,160	74,107	77,547	98,809
425	225	36,192	46,116	54,289	69,174	72,385	92,232
425	250	33,308	42,441	49,962	63,661	66,616	84,882
425	270	30,782	39,222	46,173	58,833	61,564	78,444
425	305	25,893	32,993	38,840	49,490	51,787	65,987
425	325	22,833	29,094	34,249	43,640	45,666	58,187
425	370	15,236	19,414	22,854	29,121	30,472	38,828

TOLERANCES	
	Tolerance
Outside Dia.	+%4, -0
Inside Dia.	+0, -%3
Length	+%5, -0

Dimensions not listed can be produced upon request.

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT*	
		Gr/mm	
		B40	B60
440	90	552	703
440	200	475	605
440	255	414	528
440	320	324	413
440	340	292	372
440	345	284	362
440	360	258	329
440	370	241	307
440	385	213	272
440	390	204	260
440	398	189	240
440	400	185	235
440	410	165	211
450	100	573	731
450	215	486	619
450	315	358	456
450	335	327	416
450	340	318	406
450	360	285	363
450	370	267	340
450	385	240	305
450	400	211	269
450	410	192	244
450	425	161	205
465	170	568	724
465	290	435	554
465	315	398	508
465	335	367	468
465	345	351	447
465	360	325	414
465	385	280	357
465	390	271	345
465	400	252	321
465	410	232	296
465	425	202	257
465	445	160	204
480	230	552	704
480	335	409	521
480	345	392	500
480	360	367	467
480	385	322	410
480	390	313	398
480	400	293	374
480	410	274	349
480	425	244	310
480	445	202	257
480	460	169	215
490	320	461	588
490	360	395	504
490	385	350	447
490	400	322	410
490	410	302	385
490	425	272	347
490	445	230	293
490	460	197	252
500	305	513	654
500	345	450	574
500	385	380	484
500	400	351	448
500	410	332	423
500	425	301	384

TOLERANCES	
	Tolerance
Out.Dia.	To be agreed
Ins.Dia.	To be agreed
Length	To be agreed

Maximum length 80mm.

* To calculate gr/piece weight, multiply length with gr/mm weight.

Dimensions not listed can be produced upon request.

EFALON® is a registered trademark of Polikim.

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT*	
		Gr/mm	
		B40	B60
500	445	259	331
500	460	227	289
500	475	193	246
515	110	754	960
515	285	587	747
515	335	512	652
515	400	396	505
515	410	377	480
515	425	346	441
515	445	304	388
515	460	272	346
515	475	238	303
515	485	214	273
530	385	471	600
530	425	393	500
530	445	351	447
530	460	318	405
530	475	284	362
530	485	261	332
530	505	213	271
545	145	826	1,052
545	360	563	718
545	388	513	654
545	400	490	624
545	410	470	599
545	425	440	561
545	445	398	507
545	460	365	466
545	475	332	422
545	485	308	393
545	495	285	363
545	505	260	332
545	515	236	301
560	290	722	920
560	320	678	864
560	400	539	687
560	425	489	623
560	445	447	570
560	460	414	528
560	475	380	485
560	495	334	425
560	505	309	394
560	515	285	363
560	530	247	315
560	540	221	282
570	220	842	1,073
570	250	808	1,029
570	360	646	823
570	445	480	612
570	485	391	498
570	495	367	468
570	505	343	437
570	515	318	405
570	530	280	357
570	540	254	324
590	390	660	841
590	400	641	816
590	410	621	792
590	475	482	614
590	485	459	585
590	505	411	524

TOLERANCES	
	Tolerance
Out.Dia.	To be agreed
Ins.Dia	To be agreed
Length	To be agreed

Maximum length 80mm.

* To calculate gr/piece weight, multiply length with gr/mm weight.

Dimensions not listed can be produced upon request.

EFALON® is a registered trademark of Polikim.

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT*	
		Gr/mm	
		B40	B60
590	515	387	493
590	530	349	444
590	540	323	411
590	560	270	344
610	390	731	931
610	415	682	869
610	430	651	830
610	445	620	790
610	460	587	748
610	470	564	719
610	475	553	705
610	485	530	675
610	505	482	614
610	515	457	583
610	530	420	535
610	540	394	502
610	560	341	434
610	580	285	364
610	590	257	328
620	475	589	751
620	490	554	706
620	505	518	660
620	515	494	629
620	540	430	548
620	560	377	480
620	580	322	410
620	590	293	374
640	345	921	1,174
640	390	841	1,072
640	460	698	889
640	505	593	755
640	515	568	724
640	530	530	676
640	540	504	643
640	560	451	575
640	580	396	505
640	590	368	469
640	600	339	432
640	615	295	376
655	475	721	919
655	495	674	859
655	580	453	578
655	590	425	542
655	600	396	505
655	615	352	449
655	630	307	392
670	445	846	1,078
670	540	620	790
670	580	512	653
670	600	455	580
670	630	366	466
670	650	304	387
680	360	1,052	1,340
680	600	495	631
680	615	451	575
680	630	406	517
680	650	344	438
690	540	701	893
690	580	592	755
690	600	535	682
690	615	491	626

TOLERANCES	
	Tolerance
Out.Dia.	To be agreed
Ins.Dia	To be agreed
Length	To be agreed

Maximum length 80mm.

* To calculate gr/piece weight, multiply length with gr/mm weight.

Dimensions not listed can be produced upon request.

EFALON® is a registered trademark of Polikim.

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT* Gr/mm	
		B40	B60
690	630	446	569
690	650	384	490
690	670	321	409
700	450	957	1,219
700	580	633	807
700	600	576	734
700	615	532	678
700	630	487	621
700	650	425	542
700	670	362	461
720	515	889	1,133
720	580	717	914
720	615	616	785
720	670	445	568
720	680	413	526
720	700	346	441
740	600	746	951
740	630	657	837
740	680	499	636
740	700	432	551
740	715	381	486
740	720	364	463
750	490	1,080	1,376
750	580	847	1,080
750	615	746	951
750	670	576	733
750	700	476	607
750	715	425	542
750	730	373	475
770	580	937	1,194
770	615	836	1,065
770	650	729	929
770	700	566	721
770	715	515	656
770	730	462	589
770	745	409	521
790	650	821	1,046
790	670	757	965
790	700	658	839
790	715	607	773
790	735	537	684
790	760	446	569
790	770	409	522
815	600	1,091	1,390
815	700	777	989
815	760	565	720
815	770	528	673
815	785	472	601
840	720	830	1,058
840	735	777	990
840	785	594	756
840	800	536	683
840	815	478	609
860	490	1,603	2,042
860	745	842	1,073
860	760	787	1,003
860	785	694	884
880	785	797	1,015
880	800	739	942
880	815	681	867
880	835	601	766

TOLERANCES	
	Tolerance
Out.Dia.	To be agreed
Ins.Dia.	To be agreed
Length	To be agreed

Maximum length 80mm.

* To calculate gr/piece weight, multiply length with gr/mm weight.

Dimensions not listed can be produced upon request.

EFALON® is a registered trademark of Polikim.

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT*	
		Gr/mm	
		B40	B60
880	860	499	635
900	760	995	1,268
900	785	902	1,149
900	800	844	1,076
900	815	786	1,001
900	845	666	848
900	860	604	769
910	600	1,574	2,006
910	730	1,157	1,474
910	815	839	1,069
910	860	657	837
910	885	552	703
930	860	766	976
930	885	660	841
950	815	1,059	1,349
950	860	877	1,117
950	925	596	760
965	885	856	1,091
965	925	681	868
965	945	591	753
1000	650	1,931	2,460
1000	860	1,164	1,484
1000	920	906	1,155
1000	945	794	1,011
1000	970	678	864
1050	925	1,187	1,512
1050	970	981	1,250
1050	990	886	1,129
1050	1000	838	1,068
1050	1020	740	943
1120	925	1,635	2,083
1120	945	1,545	1,968
1120	1000	1,286	1,639
1120	1040	1,089	1,388
1120	1080	884	1,127
1200	1040	1,637	2,086
1200	1130	1,165	1,484
1200	1160	999	1,273
1215	1130	1,272	1,621
1215	1160	1,106	1,409
1260	1080	1,868	2,380
1260	1160	1,435	1,828
1260	1200	1,207	1,537
1260	1220	1,090	1,388
1300	1200	1,509	1,922
1300	1220	1,392	1,773
1300	1280	1,029	1,312
1320	1300	1,059	1,350
1340	1130	2,214	2,822
1340	1280	1,341	1,709
1340	1300	1,216	1,550
1380	1220	2,025	2,580
1380	1300	1,538	1,959
1380	1340	1,282	1,634
1440	1300	2,037	2,595
1440	1380	1,519	1,935
1440	1400	1,385	1,764
1440	1420	1,248	1,591
1520	1420	Sorunuz	
1520	1470	Sorunuz	

TOLERANCES	
	Tolerance
Out.Dia.	To be agreed
Ins.Dia.	To be agreed
Length	To be agreed

Maximum length 80mm.

* To calculate gr/piece weight, multiply length with gr/mm weight.

Dimensions not listed can be produced upon request.

EFALON® is a registered trademark of Polikim.

EFALON® BRONZE-FILLED MOULDED TUBES

OUTSIDE DIA. mm	INSIDE DIA. mm	WEIGHT*	
		B40	B60
1570	1520	Sorunuz	
1620	1470	Sorunuz	
1620	1520	Sorunuz	
1620	1570	Sorunuz	
1710	1570	Sorunuz	
1710	1610	Sorunuz	
1710	1660	Sorunuz	
1810	1660	Sorunuz	
1810	1710	Sorunuz	
1810	1770	Sorunuz	
1910	1760	Sorunuz	
1910	1800	Sorunuz	
1910	1850	Sorunuz	
2010	1850	Sorunuz	
2010	1900	Sorunuz	
2010	1950	Sorunuz	

TOLERANCES	
	Tolerance
Out.Dia.	to be agreed
Ins.Dia.	to be agreed
Length	to be agreed

Maximum length 80mm.

* To calculate gr/piece weight, multiply length with gr/mm weight.

Dimensions not listed can be produced upon request.

EFALON® is a registered trademark of Polikim.